

REST in Rails

Daniel Jackson

1

RESTful routes

Ö

resources :photos

creates seven different routes in your application, all mapping to the Photos controller:

| HTTP Verb | Path | action | used for |
|-----------|------------------|---------|----------------------------------------------|
| GET | /photos | index | display a list of all photos |
| GET | /photos/new | new | return an HTML form for creating a new photo |
| POST | /photos | create | create a new photo |
| GET | /photos/:id | show | display a specific photo |
| GET | /photos/:id/edit | edit | return an HTML form for editing a photo |
| PUT | /photos/:id | update | update a specific photo |
| DELETE | /photos/:id | destroy | delete a specific photo |

model classes

one model class/resource

so if we have paths like

> teas/123/reviews/4

then we expect

- > a model class <u>Tea</u> in tea.rb
- > a model class <u>Review</u> in review.rb

and probably

- > a field <u>reviews</u> in <u>Tea</u>
- > a field <u>tea</u> in <u>Review</u>

```
class Review < ActiveRecord::Base
    belongs_to :tea
end
class Tea < ActiveRecord::Base
    has_many :reviews
end</pre>
```

scaffolding a resource

if you type this...

\$ rails generate scaffold Post name:string title:string content:text

Rails generates these...

| File | Purpose |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| db/migrate/20100207214725_create_posts.rb | Migration to create the posts table in your database (your name will include a different timestamp) |
| app/models/post.rb | The Post model |
| test/unit/post_test.rb | Unit testing harness for the posts model |
| test/fixtures/posts.yml | Sample posts for use in testing |
| config/routes.rb | Edited to include routing information for posts |
| app/controllers/posts_controller.rb | The Posts controller |
| app/views/posts/index.html.erb | A view to display an index of all posts |
| app/views/posts/edit.html.erb | A view to edit an existing post |
| app/views/posts/show.html.erb | A view to display a single post |
| app/views/posts/new.html.erb | A view to create a new post |
| app/views/posts/_form.html.erb | A partial to control the overall look and feel of the form used in edit and new views |
| test/functional/posts_controller_test.rb | Functional testing harness for the posts controller |
| app/helpers/posts_helper.rb | Helper functions to be used from the post views |
| test/unit/helpers/posts_helper_test.rb | Unit testing harness for the posts helper |
| app/assets/javascripts/posts.js.coffee | CoffeeScript for the posts controller |
| app/assets/stylesheets/posts.css.scss | Cascading style sheet for the posts controller |
| app/assets/stylesheets/scaffolds.css.scss | Cascading style sheet to make the scaffolded views look better |

browser workaround

problem

> many browsers won't make PUT or DELETE requests

workaround

Rails generates client-side code with verb in argument

you write



```
form_tag(search_path, :method => "put")
```

Rails generates



MIT OpenCourseWare http://ocw.mit.edu

6.170 Software Studio Spring 2013

For information about citing these materials or our Terms of Use, visit: http://ocw.mit.edu/terms.