

```

set echo on
spool K:\lectures\lecture9\insert.log
set null NULL

--insert data
insert into students
(studentid, fname, lname, department, year, email, phone)
values (100100100, 'Michael', 'Sable', 'DUSP', 5, 'msable@mit.edu', '1-617-
234-5678');

insert into students
(studentid, fname, lname, department, year, email, phone)
values (100100101, 'Christiaan', 'Adams', 'TPP', 5, 'adamscs@mit.edu', '1-
617-234-5432');

insert into students
(studentid, fname, lname, department, year, email, phone)
values (100100102, 'Julie', 'Kirschbaum', 'DUSP', 5, 'jbk@mit.edu', '1-617-
234-5238');

insert into students
(studentid, fname, lname, department, year, email, phone)
values (100100103, 'Jaechool', 'kim', 'DUSP', 5, 'jaechool@mit.edu', '1-617-
234-5238');

insert into students
(studentid, fname, lname, department, year, email, phone)
values (100100104, 'Jacky', 'Smith', 'DUSP', 3, 'jacks@mit.edu', '1-617-234-
5623');

insert into students
(studentid, fname, lname, department, year, email, phone)
values (100100105, 'Virat', 'Chatdarong', 'CIVIL', 2, 'virat@mit.edu', '1-
617-234-5432');

insert into teachers
(teacherid, fname, lname, email, phone, office, hours)
values (500100101, 'Joe', 'Ferreira', 'jff@mit.edu', '1-617-434-3438', 'room
9-552', 'T2-3;R3-4');

insert into teachers
(teacherid, fname, lname, email, phone, office, hours)
values (500100102, 'Lorlene', 'Hoyt', 'lorlene@mit.edu', '1-617-674-
3754', 'room 9-554', 'T1-2;W2-3');

insert into courses
(courseid, coursenum, name, description, www, courselevel, credit)
values (100100, '11.521/11.523/11.524', 'Spatial Database Management and
Advanced GIS', 'http://crl.mit.edu/classes/11.521', 'This course
...', 'high', 12);

insert into courses
(courseid, coursenum, name, description, www, courselevel, credit)
values (100101, '11.220', 'QR', 'http://crl.mit.edu/classes/11.521', 'This
course ...', 'graduate', 12);

```

```
insert into tea_cou
(teacherid, courseid)
values (500100101, 100100);
```

```
insert into tea_cou
(teacherid, courseid)
values (500100102, 100100);
```

```
insert into tea_cou
(teacherid, courseid)
values (500100101, 100101);
```

```
insert into stu_cou
(studentid, courseid)
values (100100100, 100100);
```

```
insert into stu_cou
(studentid, courseid)
values (100100101, 100100);
```

```
insert into stu_cou
(studentid, courseid)
values (100100102, 100100);
```

```
insert into stu_cou
(studentid, courseid)
values (100100102, 100101);
```

```
insert into stu_cou
(studentid, courseid)
values (100100103, 100100);
```

```
insert into stu_cou
(studentid, courseid)
values (100100104, 100100);
```

```
insert into stu_cou
(studentid, courseid)
values (100100105, 100100);
```

```
commit;
```

```
spool off;
```